

SUN SHIELD STICK WITH ZINC OXIDE

A long-lasting, easy-to-apply, non-greasy formulation in a handy stick format. No white residue from zinc oxide, either! **Meadowfoam Seed Oil XPR** adds non-greasy nourishing hydration and oxidative stability (key for warm weather situations!) and **Daikon Seed Extract** gives a powdery feel while providing a nice glide for easy application. Other ingredients include a high transparency non-whitening zinc oxide dispersion, and a long-lasting film-forming agent.

| Ingredient INCI NAME | Trade Name | % |
|--|----------------------------------|-------|
| Phase A | | |
| Limnanthes Alba (Meadowfoam) Seed Oil | Meadowfoam Seed Oil XPR* 1 | 6.00 |
| Raphanus Sativus (Radish) Seed Extract | Daikon Seed Extract ¹ | 16.00 |
| Zinc Oxide (and) Caprylic/Capric Triglyceride (and) Polyhydroxys-tearic Acid (and) Polyglyceryl-3 Polyri- cinoleate (and) Isostearic Acid (and) Lecithin | G-Block™ DZ 370 CCT ² | 29.00 |
| Theobroma Grandiflorum Seed Butter (and) To- copherol | Cupuaçu Butter ³ | 5.00 |
| Lauryl Laurate | Kester Wax K-24 ⁴ | 10.00 |
| Octyldodecyl Stearate | Ceraphyl ODS ⁵ | 8.00 |
| Phase B | | |
| Helianthus Annuus (sunflower) seed oil (and) Carthamus Tincorius (Safflower) Seed Oil (and) Styrene/Butadiene Copolymer | OleoFLEX™ FG 100 ² | 4.00 |
| Helianthus Annuus (Sunflower) Seed Oil (and) Ca- prylic/Capric Tri-glyceride (and) Styrene/Butadiene Copolymer | OleoFLEX™ EG 200 ² | 4.00 |
| Euphorbia Cerifera (Candelilla) Wax | Candelilla Wax NF ⁴ | 12.00 |
| Sustainable White Beeswax | Beeswax NF White ⁴ | 6.00 |
| | Total | 100 |

^{*} Meadowfoam Seed Oil and Meadowfoam Seed Oil XPR can be used interchangeably in this formulation. Formulation contains sunscreen active ingredients but has not been tested for safety and efficacy.

 $\textbf{Suppliers:} \ ^{\textbf{1}} \ \textbf{Natural Plant Products}; \ ^{\textbf{2}} \ \textbf{Applechem}; \ ^{\textbf{3}} \ \textbf{Ross Organic/Beraca}; \ ^{\textbf{4}} \ \textbf{Koster Keunen}; \ ^{\textbf{5}} \ \textbf{Ashland}$

Procedure: 1. Heat and mix Phase A with a propeller blade at 90°C until uniform. 2. Add Phase B and continue mixing for 15 minutes. 3. Reduce temperature to 70°C, fill containers.

Stability: 2 months at RT and 45°C.

Suggested Usage: Glide the stick all over face and neck. Lightly rub in with fingers. Apply as last step in skincare routine just before applying makeup.

The information contained herein is provided for informational purposes only. This suggested formulation is only a representative formulation and is not a commercialized product. NPP believes that the formulation and data on which this formulation is based are reliable, but it has not been subjected to extensive testing for performance, efficacy, or safety. Before commercializing, you should thoroughly test the formulation or any variation of it (as well as the raw materials, including any NPP product used) to determine its performance, efficacy, and safety. Further, you will be responsible for ensuring the regulatory compliance of the final product and its ingredients.

No guarantee, representation, or warranty of any kind is made with respect to any product or information contained herein, including, without limitation, the suitability, accuracy, the completeness or relevance of the data set out herein, or any result. NPP disclaims all warranties, express or implied, including, without limitation, warranties of merchantability, fitness for a particular purpose, or non-infringement of any patent or other intellectual property right (including, without limitation, copyright and trademark). User bears full responsibility for making its own determination as to the suitability for a particular purpose and for identifying and performing all tests and analyses necessary and sufficient for user's purpose. The final choice of use of a product or information as well as the investigation of any possible violation of intellectual property rights remains the sole responsibility of user.

Fax: (503) 587-8717
Email: sales@meadowfoam.com
P.O. Box 4306
Salem, OR 97302 USA

Phone: (503) 363-6402

